



---

## PH Artichoke

---

**Design:**

Poul Henningsen

**Concept:**

The fixture provides 100% glare-free light. The 72 precisely positioned leaves form 12 unique rows of six leaves each. They illuminate the fixture as well as emitting diffused light with a unique pattern. The fixture provides decorative and comfortable lighting. For the energy saving LED variant the quality of light and atmosphere surrounding the product is kept at the highest level.

**Finish:**

Copper or stainless steel, brushed and coated. White, wet painted. Polished stainless steel: Polished.

**Material:**

Leaves: Punched copper, laser cut stainless steel or punched steel. Top shade: White, spun steel. Frame: High lustre chrome plated, laser cut steel. Suspension: High lustre chrome plated, spun aluminium.

**Mounting:**

Suspension type: E27 and Halolux: Cable 3 x 0,75mm<sup>2</sup> & wire. Canopy: Yes. Cable length: 4m. LED: Cable 2 x 0.75 mm<sup>2</sup> and wire. Canopy or external driver box contains driver. Cable length: 4m. Maximum distance between external driver box and fixture: 20m .

**Weight:**

Min: 8.3 kg Max: 27.5 kg

**Class:**

Ingress protection IP20. Electric shock protection I w. ground.

**Info notes:**

For LED replacement kits please do contact Louis Poulsen. The innovation of the LED technology is constant. The specifications mentioned are based on present technology. Please find updated information on products on our website [www.louispoulsen.com](http://www.louispoulsen.com).

**Specification notes:**

200W E27 is only available in Ø 480. Halolux 230W E27 and LED only available in Ø 600, Ø 720 and Ø 840. The innovation of light sources is ongoing. Consequently we only inform about the max. wattages. On [www.louispoulsen.com](http://www.louispoulsen.com) we update a list of recommendable light sources.

## PRODUCT OVERVIEW

Dimensions	CCT/Watt/ Lumen	Light source	Finish	Cable type	Lighting control	Plug	Efficacy	Order-no.
-	2700K	96W LED 2700K	-	-	DIM 1-10V	-	-	-
Ø 480	-	1X200W E27	COPPER	WHT TEX/WIRE NONE		NOT APPLICABLE	-	5741092123
Ø 480	-	1X200W E27	STAINL STEEL	WHT TEX/WIRE NONE		NOT APPLICABLE	-	5741092136
Ø 480	-	1X200W E27	WHT	WHT TEX/WIRE NONE		NOT APPLICABLE	-	5741092149
Ø 480	-	1X200W E27	STAINL STEEL POLISH	WHT TEX/WIRE NONE		NOT APPLICABLE	-	5741097788
Ø 600	-	1X230W HALOLUX E27	WHT	WHT TEX/WIRE NONE		NOT APPLICABLE	-	5741092398
Ø 600	-	1X230W HALOLUX E27	COPPER	WHT TEX/WIRE NONE		NOT APPLICABLE	-	5741092408
Ø 600	-	1X230W HALOLUX E27	STAINL STEEL	WHT TEX/WIRE NONE		NOT APPLICABLE	-	5741092411
Ø 600	-	1X230W HALOLUX E27	STAINL STEEL POLISH	WHT TEX/WIRE NONE		NOT APPLICABLE	-	5741097801
Ø 600	2700K 96.0 2387	96W LED 2700K	STAINL STEEL	WHT TEX/WIRE DALI		EXT. DRIVER	25	5741110160
Ø 600	2700K 96.0 2387	96W LED 2700K	STAINL STEEL	WHT TEX/WIRE DALI		INT. DRIVER	25	5741110173
Ø 600	2700K 96.0 2387	96W LED 2700K	STAINL STEEL	WHT TEX/WIRE WIRELESS BLUETOOTH	INT. DRIVER		25	5741110377
Ø 600	2700K 96.0 2387	96W LED 2700K	STAINL STEEL POLISH	WHT TEX/WIRE WIRELESS BLUETOOTH	INT. DRIVER		25	5741110416
Ø 600	2700K 96.0 2621	96W LED 2700K	COPPER	WHT TEX/WIRE DALI		EXT. DRIVER	27	5741110209
Ø 600	2700K 96.0 2621	96W LED 2700K	COPPER	WHT TEX/WIRE DALI		INT. DRIVER	27	5741110212
Ø 600	2700K 96.0 2621	96W LED 2700K	COPPER	WHT TEX/WIRE WIRELESS BLUETOOTH	INT. DRIVER		27	5741110393
Ø 600	2700K 96.0 3631	96W LED 2700K	WHT	WHT TEX/WIRE DALI		EXT. DRIVER	38	5741110128
Ø 600	2700K 96.0 3631	96W LED 2700K	WHT	WHT TEX/WIRE DALI		INT. DRIVER	38	5741110131
Ø 600	2700K 96.0 3631	96W LED 2700K	WHT	WHT TEX/WIRE WIRELESS BLUETOOTH	INT. DRIVER		38	5741110351
Ø 600	3000K 96.0 2483	96W LED 3000K	STAINL STEEL	WHT TEX/WIRE DALI		EXT. DRIVER	26	5741110186
Ø 600	3000K 96.0 2483	96W LED 3000K	STAINL STEEL	WHT TEX/WIRE DALI		INT. DRIVER	26	5741110199
Ø 600	3000K 96.0 2483	96W LED 3000K	STAINL STEEL POLISH	WHT TEX/WIRE DALI		EXT. DRIVER	26	5741110335
Ø 600	3000K 96.0 2483	96W LED 3000K	STAINL STEEL POLISH	WHT TEX/WIRE DALI		INT. DRIVER	26	5741110348
Ø 600	3000K 96.0 2483	96W LED 3000K	STAINL STEEL	WHT TEX/WIRE WIRELESS BLUETOOTH	INT. DRIVER		26	5741110380
Ø 600	3000K 96.0 2483	96W LED 3000K	STAINL STEEL POLISH	WHT TEX/WIRE WIRELESS BLUETOOTH	INT. DRIVER		26	5741110429
Ø 600	3000K 96.0 2726	96W LED 3000K	COPPER	WHT TEX/WIRE DALI		EXT. DRIVER	28	5741110225
Ø 600	3000K 96.0 2726	96W LED 3000K	COPPER	WHT TEX/WIRE DALI		INT. DRIVER	28	5741110238
Ø 600	3000K 96.0 2726	96W LED 3000K	COPPER	WHT TEX/WIRE WIRELESS BLUETOOTH	INT. DRIVER		28	5741110403
Ø 600	3000K 96.0 3777	96W LED 3000K	WHT	WHT TEX/WIRE DALI		EXT. DRIVER	39	5741110144
Ø 600	3000K 96.0 3777	96W LED 3000K	WHT	WHT TEX/WIRE DALI		INT. DRIVER	39	5741110157
Ø 600	3000K 96.0 3777	96W LED 3000K	WHT	WHT TEX/WIRE WIRELESS BLUETOOTH	INT. DRIVER		39	5741110364
Ø 600	96.0 2151	LED 2700K (RA90)	STAINL STEEL POLISH	WHT TEX/WIRE DALI		EXT. DRIVER	22	5741111033
Ø 600	96.0 2151	LED 2700K (RA90)	STAINL STEEL POLISH	WHT TEX/WIRE DALI		INT. DRIVER	22	5741111046

Ø 720	-	1X230W HALOLUX E27 WHT		WHT TEX/WIRE NONE	NOT APPLICABLE -		5741092424
Ø 720	-	1X230W HALOLUX E27 COPPER		WHT TEX/WIRE NONE	NOT APPLICABLE -		5741092437
Ø 720	-	1X230W HALOLUX E27 STAINL STEEL		WHT TEX/WIRE NONE	NOT APPLICABLE -		5741092440
Ø 720	-	1X230W HALOLUX E27 STAINL STEEL POLISH		WHT TEX/WIRE NONE	NOT APPLICABLE -		5741097908
Ø 720	2700K 96.0 2630	96W LED 2700K	STAINL STEEL	WHT TEX/WIRE DALI	INT. DRIVER	27	5741110623
Ø 720	2700K 96.0 2630	96W LED 2700K	STAINL STEEL POLISH	WHT TEX/WIRE DALI	INT. DRIVER	27	5741110649
Ø 720	2700K 96.0 2630	96W LED 2700K	STAINL STEEL	WHT TEX/WIRE WIRELESS BLUETOOTH	INT. DRIVER	27	5741110788
Ø 720	2700K 96.0 2630	96W LED 2700K	COPPER	WHT TEX/WIRE WIRELESS BLUETOOTH	INT. DRIVER	27	5741110791
Ø 720	2700K 96.0 2630	96W LED 2700K	STAINL STEEL POLISH	WHT TEX/WIRE WIRELESS BLUETOOTH	INT. DRIVER	27	5741110801
Ø 720	2700K 96.0 3030	96W LED 2700K	COPPER	WHT TEX/WIRE DALI	INT. DRIVER	32	5741110636
Ø 720	2700K 96.0 3538	96W LED 2700K	WHT	WHT TEX/WIRE DALI	INT. DRIVER	37	5741110610
Ø 720	2700K 96.0 3538	96W LED 2700K	WHT	WHT TEX/WIRE WIRELESS BLUETOOTH	INT. DRIVER	37	5741110775
Ø 720	3000K	96W LED 3000K	WHT	WHT TEX/WIRE DALI	EXT. DRIVER	-	5741110458
Ø 720	3000K	96W LED 3000K	WHT	WHT TEX/WIRE DALI	INT. DRIVER	-	5741110461
Ø 720	3000K 96.0 2736	96W LED 3000K	STAINL STEEL	WHT TEX/WIRE DALI	EXT. DRIVER	29	5741110474
Ø 720	3000K 96.0 2736	96W LED 3000K	STAINL STEEL	WHT TEX/WIRE DALI	INT. DRIVER	29	5741110487
Ø 720	3000K 96.0 2736	96W LED 3000K	STAINL STEEL POLISH	WHT TEX/WIRE DALI	EXT. DRIVER	29	5741110571
Ø 720	3000K 96.0 2736	96W LED 3000K	STAINL STEEL POLISH	WHT TEX/WIRE DALI	INT. DRIVER	29	5741110584
Ø 720	3000K 96.0 2736	96W LED 3000K	STAINL STEEL	WHT TEX/WIRE WIRELESS BLUETOOTH	INT. DRIVER	29	5741110704
Ø 720	3000K 96.0 2736	96W LED 3000K	STAINL STEEL POLISH	WHT TEX/WIRE WIRELESS BLUETOOTH	INT. DRIVER	29	5741110720
Ø 720	3000K 96.0 3152	96W LED 3000K	COPPER	WHT TEX/WIRE DALI	EXT. DRIVER	33	5741110490
Ø 720	3000K 96.0 3152	96W LED 3000K	COPPER	WHT TEX/WIRE DALI	INT. DRIVER	33	5741110500
Ø 720	3000K 96.0 3152	96W LED 3000K	COPPER	WHT TEX/WIRE WIRELESS BLUETOOTH	INT. DRIVER	33	5741110717
Ø 720	3000K 96.0 3681	96W LED 3000K	WHT	WHT TEX/WIRE WIRELESS BLUETOOTH	INT. DRIVER	38	5741110694
Ø 840	-	1X230W HALOLUX E27 WHT		WHT TEX/WIRE NONE	NOT APPLICABLE -		5741092453
Ø 840	-	1X230W HALOLUX E27 COPPER		WHT TEX/WIRE NONE	NOT APPLICABLE -		5741092466
Ø 840	-	1X230W HALOLUX E27 STAINL STEEL		WHT TEX/WIRE NONE	NOT APPLICABLE -		5741092479
Ø 840	-	1X230W HALOLUX E27 STAINL STEEL POLISH		WHT TEX/WIRE NONE	NOT APPLICABLE -		5741097979
Ø 840	2700K 96.0 2630	96W LED 2700K	STAINL STEEL	WHT TEX/WIRE DALI	INT. DRIVER	27	5741110665
Ø 840	2700K 96.0 2630	96W LED 2700K	STAINL STEEL POLISH	WHT TEX/WIRE DALI	INT. DRIVER	27	5741110681
Ø 840	2700K 96.0 2630	96W LED 2700K	STAINL STEEL	WHT TEX/WIRE WIRELESS BLUETOOTH	INT. DRIVER	27	5741110827
Ø 840	2700K 96.0 2630	96W LED 2700K	STAINL STEEL POLISH	WHT TEX/WIRE WIRELESS BLUETOOTH	INT. DRIVER	27	5741110843
Ø 840	2700K 96.0 3030	96W LED 2700K	COPPER	WHT TEX/WIRE DALI	INT. DRIVER	32	5741110678
Ø 840	2700K 96.0 3030	96W LED 2700K	COPPER	WHT TEX/WIRE WIRELESS BLUETOOTH	INT. DRIVER	32	5741110830
Ø 840	2700K 96.0 3538	96W LED 2700K	WHT	WHT TEX/WIRE DALI	INT. DRIVER	37	5741110652

Ø 840	2700K 96.0 3538	96W LED 2700K	WHT	WHT TEX/WIRE WIRELESS BLUETOOTH INT. DRIVER	37	5741110814	
Ø 840	3000K 96.0 2736	96W LED 3000K	STAINL STEEL	WHT TEX/WIRE DALI	EXT. DRIVER	29	5741110539
Ø 840	3000K 96.0 2736	96W LED 3000K	STAINL STEEL	WHT TEX/WIRE DALI	INT. DRIVER	29	5741110542
Ø 840	3000K 96.0 2736	96W LED 3000K	STAINL STEEL POLISH	WHT TEX/WIRE DALI	EXT. DRIVER	29	5741110597
Ø 840	3000K 96.0 2736	96W LED 3000K	STAINL STEEL POLISH	WHT TEX/WIRE DALI	INT. DRIVER	29	5741110607
Ø 840	3000K 96.0 2736	96W LED 3000K	STAINL STEEL	WHT TEX/WIRE WIRELESS BLUETOOTH INT. DRIVER	29	5741110746	
Ø 840	3000K 96.0 2736	96W LED 3000K	STAINL STEEL POLISH	WHT TEX/WIRE WIRELESS BLUETOOTH INT. DRIVER	29	5741110762	
Ø 840	3000K 96.0 3152	96W LED 3000K	COPPER	WHT TEX/WIRE DALI	EXT. DRIVER	33	5741110555
Ø 840	3000K 96.0 3152	96W LED 3000K	COPPER	WHT TEX/WIRE DALI	INT. DRIVER	33	5741110568
Ø 840	3000K 96.0 3152	96W LED 3000K	COPPER	WHT TEX/WIRE WIRELESS BLUETOOTH INT. DRIVER	33	5741110759	
Ø 840	3000K 96.0 3681	96W LED 3000K	WHT	WHT TEX/WIRE DALI	EXT. DRIVER	38	5741110513
Ø 840	3000K 96.0 3681	96W LED 3000K	WHT	WHT TEX/WIRE DALI	INT. DRIVER	38	5741110526
Ø 840	3000K 96.0 3681	96W LED 3000K	WHT	WHT TEX/WIRE WIRELESS BLUETOOTH INT. DRIVER	38	5741110733	

## SPAREPART

**Product name:**

**Ordering number:**

PH ARTICHOKE 480 CANOPY WHT

5741086223

PH ARTICHOKE/LOUVRE/LP CENTRUM CANOPY

5741480272